Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016

TRITON™

324

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name:

Pioneer

Triton Non-Acid Washroom Cleaner

Product Number:

1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.Intended Use:Water based non-acid washroom cleaner concentrateUses Advised Against:Other than per labelled use instructions

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer:

Amano Pioneer Eclipse Corporation P.O. Box 909 1 Eclipse Road Sparta, NC 28675 Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE MIXTURE (PREPARATION)

This mixture has been classified according to EC 1272/2008. Eye Damage - Category 1 Aquatic Chronic - Category 3

2.2 LABEL ELEMENTS

Signal Word:

DANGER

Hazard pictogram(s):



P501	Dispose of contents/container in accordance to local, regional, national and international regulations.
P310	Immediately call a POISON CENTER/doctor if you feel unwell.
	easy to do. Continue rinsing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
P302+352+333+313	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
P280	Wear protective gloves and eye protection.
P273	Avoid release to the environment.
P261	Avoid breathing mist/vapours/spray.
Precautionary Statemer	nt(s):
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
Hazard Statement(s):	

2.3 OTHER HAZARDS

EUH208	Contains d-Limonene.	May produce an allergic reaction.
--------	----------------------	-----------------------------------



ersedes: Mar. 10, 2016

TRITON™

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1/3.2 SUBSTANCES/MIXTURES

Pioneer

		Weight %	CAS No.	CLP Classification	
Ingredient	EC No.			Hazard Class	Hazard Statement(s)*
tetrasodium ethylene diamine tetraacetate	200-573-9	5 - 10	64-02-8	Acute Tox 4 Eye Dam 1	H302 H318
d-Limonene	227-813-5	0.1 - 0.3	5989-27-5	Flam Liq 3 Skin Irrit 2 Skin Sens 1 AquaAcute1 AquaChrnc1	H226 H315 H317 H400 H410
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexaqmethylindenol[5,6- c]pyran galaxolide	214-946-9	0.1 - 0.3	1222-05-5	AquaAcute1 AquaChrnc1	H400 H410
*See section 16 for the full text of Hazard Statements	1				

SECTION 4: FIRST AID MEASURES

4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact:	Immediately wash out with water for at least 15 minutes. (If easy to do, remove contact lenses, if worn.) Seek medical attention immediately.
Skin Contact:	Wash with soap and plenty of water. If irritation develops, seek medical attention.
Inhalation: Ingestion:	If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention. If ingested, do not induce vomiting. Seek medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact:	May cause serious eye damage.
Skin Contact:	May produce an allergic reaction.
Inhalation:	None expected under normal use.
Ingestion:	None expected under normal use.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED Treat symptomatically

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: CO, CO₂ During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

5.3 ADVICE FOR FIRE FIGHTERS

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 **PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES** Refer to Section 8 for appropriate personal protective equipment.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016



TRITON[™]

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

6.4 REFERENCE TO OTHER SECTIONS:

Refer to Section 8 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use in well-ventilated areas.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Components do not have established exposure limits.

8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)					
Eye/Face Protection: Safety eyewear is recommended, to avoid chemical splashes and mists.					
	Safety glasses or goggles (EN166).				
Hand Protection:	Chemical resistant gloves are recommended. (EN374).				
	Protective gloves should be selected according to the application and duration of use. Workplace				
	selection should take into consideration handling requirements, physical requirements and exposure				
	to other substances.				
Skin Protection:	If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.				
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If				
	exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-				
	purpose combination filter. (E.g EN 14387- ABEK)				
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If				
	exposure limits are exceeded or symptoms are experienced, use an approved respirator.				

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

•			
	Appearance:	clear, red liquid	
	Odor:	strong, floral fragrance	
	Odor Threshold:	No test data available	
	pH:	9.3 (as supplied)	[Method: ASTM E 70]
	Melting Point/Freezing Point:	No test data available	
	Initial boiling point/boiling range:	No test data available	
	Flash Point:	> 93°C	[Method: Closed cup, ASTM D 56]
	Evaporation Rate:	No test data available	
	Flammability (solid, gas)	Not applicable to liquids	
	Upper/lower flammability/explosive limits:	No test data available	

Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016

TRITON™

No test data available No test data available 1.06 kg/l @ 20°C miscible in water No test data available No test data available	[Method: Pycnometer, ASTM D 1475]				
1.06 kg/l @ 20°C miscible in water No test data available	[Method: Pycnometer, ASTM D 1475]				
miscible in water No test data available	[Method: Pycnometer, ASTM D 1475]				
No test data available					
No test data available					
Nie teet dete evellete					
	Mathad: Patational viscomator Proakfield				
	[Method: Rotational viscometer, Brookfield]				
1.459/(accurption) = 0	01% (1:16)				
1.45% (as supplied), <0.	01% (1.18)				
SECTION 10: STABILITY AND REACTIVITY					
None known					
Stable under normal conditions.					
None known					
None known					
Do not mix with other chemicals unless stated on the product label.					
: None known					
	No test data available < 10 centipoise @ 20°C none none 1.45% (as supplied), <0. None known Stable under normal cor None known None known Do not mix with other ch				

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY:

Pioneer Eclipse

> Toxicity testing has not been completed on the mixture. Based on available data, the classification criteria are not met.

ATE _{mix} (oral):	> 2000 mg/kg
ATE _{mix} (dermal):	> 2000 mg/kg
ATE mix (inhalation):	> 20 mg/l (4 hr/vapour)

Component	CAS #	LD50 Oral- Rat (mg/kg)	LD50 Dermal - Rabbit (mg/kg)	LC50 Inhalation- Rat (mg/l)
tetrasodium ethylene diamine				
tetraacetate	64-02-8	3030	> 5000	not available
d-Limonene	5989-27-5	4400	> 2000	not available

SKIN CORROSION/IRRITATION:	Based on available data, the classification criteria are not met.
SERIOUS EYE DAMAGE/IRRITATION:	Causes serious eye damage. Classified as Eye Damage - Category 1
RESPIRATORY OR SKIN SENSITIZATION:	Based on available data, the classification criteria are not met. Mixture contains d-Limonene. May produce an allergic reaction.
GERM CELL MUTAGENICITY:	Based on available data, the classification criteria are not met.
CARCINOGENICITY:	Based on available data, the classification criteria are not met.
REPRODUCTIVE TOXICITY:	Based on available data, the classification criteria are not met.

Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016

TRITON™

STOT-SINGLE EXPOSURE:

Pioneer

Based on available data, the classification criteria are not met.

STOT-REPEATED EXPSURE:

ASPIRATION HAZARD:

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

11.2 POTENTIAL ADVERSE HEALTH EFFECTS

Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY: Ecological testing has not been completed on the mixture. Classified as Aquatic Chronic - Category 3

Component	CAS #	LC50 - 96 hr	LC50 - 48 hr	LC50
tetrasodium ethylene diamine				
tetraacetate	64-02-8	vertebrate, 490 mg/ml	Daphnia magna, > 100 mg/l	algae, 72 hr, 1.01 mg/l
d-Limonene	5989-27-5	vertebrate, 702 mg/ml	Daphnia magna, 0.577 mg/l	algae, NOEC, 4.08 mg/l
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexaqmethylindenol[5,6-c]pyran galaxolide	1222-05-5	vertebrate, 1.36 mg/ml	Daphnia magna, 0.88 mg/l	algae, NOEC, 0.201 mg/l

12.2 PERSISTANCE AND DEGRADABILITY:

Testing has not been completed on the mixture.

Component	CAS #	Biodegradation	
tetrasodium ethylene diamine			
tetraacetate	64-02-8	not available	
d-Limonene	5989-27-5	readily biodegradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexaqmethylindenol[5,6-c]pyran galaxolide	1222-05-5	not readily biodegradable	

12.3 BIOACCUMULATIVE POTENTIAL: Testing has not been completed on the mixture.

Component	CAS #	Partition coefficient n- octanol/water (Log Kow)	Bioconcentration factor (BCF)
tetrasodium ethylene diamine			
tetraacetate	64-02-8	< 3	< 100
d-Limonene	5989-27-5	4.38	1022
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexaqmethylindenol[5,6-c]pyran galaxolide	1222-05-5	not available	not available

None

12.4 MOBILITY IN SOIL: Testing has not been completed on the mixture.

Component	CAS #	Soil Organic Carbon- Water Partitioning Coefficient (Koc)
tetrasodium ethylene diamine	64-02-8	not available
d-Limonene	5989-27-5	1984
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexaqmethylindenol[5,6-c]pyran galaxolide	1222-05-5	not available

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable

12.6 OTHER ADVERSE EFFECTS:

No other adverse effects are known to the supplier.

12.7 ADDITIONAL INORMATION:

Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016

TRITON[™]

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Pionee

Disposal of this material should be in accordance with local, regional and national regulations. EU Waste Catalogue: 20 01 29*

SECTION 14: TRANSPORT INFORMATION				
14.1	UN NUMBER:	Not classified as hazardous for transport.		
14.2	UN PROPER SHIPPING NAME:	N/A		
14.3	TRANSPORT HAZARD CLASSES:	N/A		
14.4	PACKING GROUP:	N/A		
14.5	ENVIRONMENTAL HAZARDS:	N/A		
14.6	SPECIAL PRECAUTIONS FOR USER:	N/A		
14.7	TRANSPORT IN BULK ACCORDING TO ANNE	X II OF MAPROL73/78 AND THE IBC CODE:	N/A	

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

EINECS STATUS: Ingredients are included in the EINECS/ELINCS/NLP inventories.

NATIONAL REGULATIONS:

648/2004 The surfactants contained in this preparation comply with the biodegradability criteria laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member states and will be made available to them, at their direct request or at the request of the detergent manufacturer.

No information available.

No additional national regulations are known to the supplier.

15.2 CHEMICAL SAFETY ASSESSMENT:

SECTION 16: OTHER INFORMATION

REVISION INFORMATION:

June 7, 2016 - Logo, minor edits

ABBREVIATIONS:

N/A - Not applicable N/E - Not Established N/L - Not Listed

DETERGENT/CLEANER LABELING (EC/648/2004):

>5 - <15% - EDTA

<5% - Anionic surfactant, Nonionic surfactant, Fragrance >0.01 - <1% - allergenic fragrances - citronellal, d-limonene, alpha-isomethyl ionone, amyl cinnamal, benzyl salicylate, coumarin, geraniol, hydroxy-citronellal, and linalool

FULL TEXT OF HAZARD STATEMENTS:

- H226 Flammable liquid and vapour
- H302 Harmful if swallowed.
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Conforms to 1907/2006/EC - (EU) 2015/830 Issued: June 7, 2016 Supersedes: Mar. 10, 2016



TRITON™

FULL TEXT OF PRECAUTIONARY STATEMENTS:

No additional precautionary statements.

ISSUED BY:

Chemical/R&D Department Amano Pioneer Eclipse Corporation