Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020

Product Number:

# **DIAMOND SHINE™**

104L5

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **PRODUCT IDENTIFIER** 1.1

UFI:

Diamond Shine Ultra High Speed Floor Coating Product Name: VMC9-7922-0005-59XE

#### RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST 1.2

Product intended for commercial and industrial use only. Intended Use: Floor finish Uses Advised Against: Other than per labelled instructions.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Amano Pioneer Eclipse® Corporation P.O. Box 909 1 Eclipse Road Sparta, NC 28675 Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

#### **EMERGENCY TELEPHONE NUMBER** 1.4

For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

## SECTION 2: HAZARDS IDENTIFICATION

#### **CLASSIFICATION OF THE MIXTURE** 2.1

This mixture has been classified according to EC 1272/2008. Classification: Skin sensitisation - Category 1 Hazardous to the aquatic environment, Chronic Hazard - Category 2

#### 2.2 LABEL ELEMENTS

Signal Word:

Hazard pictograms:



Contains:

Benzisothiazolinone; Zinc (2+) ion tetraamine carbonate; Maleic anhydride; Octylisothiazolinone.

Hazard Statements: H317 May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects. H411

Precautionary Statements:

P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention

#### 2.3 **OTHER HAZARDS** No other hazards are known to the supplier.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1/3.2 SUBSTANCES/MIXTURES

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020

# **DIAMOND SHINE™**

	EC No. Weight % CAS No. R				CLP Classification	
Ingredient		REACH-No.	Hazard Class	Hazard Statement(s)*		
Zinc(2+) ion tetraamine carbonate	254-099-2	1 - < 5	38714-47-5		Skin Irrit 2 Eye Irrit 2 Skin Sens 1 AquaAcute1 AquaChr3	H315 H319 H317 H400 H410
Tributoxyethylphosphate	201-122-9	1 - < 5	78-51-3	01- 2119485835 -23	AquaChr 3	H412
Trimethyl pentanyl diisobutyrate	229-934-9	1 - < 5	6846-50-0	01- 2119451093 -47	Repr 2 AquaChr 3	H361d H412
1-Methoxy-2-propanol	203-539-1	< 0.1	107-98-2	01- 2119457435 -35	Flam Liq 3 STOT SE 3	H226 H336
1,2-Benzisothiazol-3(2H)-one	220-120-9	< 0.1	2634-33-5	01 2120761540 -60	AcuteTox 4 Skin Irrit 2 Eye Dam 1 Skin Sens 1 AquaAcute1	H302 H315 H318 H317 H400
Maleic anhydride	203-571-6	< 0.1	108-31-6		AcuteTox 4 STOT RE 1 Skin Corr 1B Eye Dam 1 Resp Sens 1 Skin Sens 1A	H302 H372 H314 H318 H334 H317
Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one	247-761-7	< 0.1	26530-20-1	01- 2120768921- 45	AcuteTox 2 AcuteTox 3 Skin Corr 1 Skin Sens 1A Eye Dam 1 AquaAcute1 AquaChr1	H330 H301,H311 H314 H317 H318 H400 H410

\*See section 16 for the full text of (EU) Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits M-Factors ATE**
1,2-Benzisothiazol-3(2H)-one	220-120-9	2634-33-5	(0.05 ≤C≤ 100) Skin Sens 1, H317
Maleic anhydride	203-571-6	108-31-6	(0.001 ≤C≤ 100) Skin Sens 1A, H317
Octhilinone (ISO); 2-octyl-2H-isothiazol-3-one	247-761-7	26530-20-1	(0.0015 ≤C≤ 100) Skin Sens 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) ATE (oral) 125 mg/kg ATE (dermal) 311 mg/kg ATE (inhalation, mist) 0.27 mg/l

\*\* Acute Toxicity Estimate per Annex VI, (EC) 1272/2008.

## SECTION 4: FIRST AID MEASURES

Pioneer Eclipse

## 4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact:	In case of eye contact, immediately rinse with clean water for 10-15 minutes. If eye irritation persists:
	Get medical advice/attention.
Skin Contact:	Wash skin with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation:	If experiencing respiratory symptoms: Allow affected person to breathe fresh air.
Ingestion:	Rinse mouth. Do NOT induce vomiting. Give water to drink. Seek medical advice immediately and show this container or label.



Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020

# **DIAMOND SHINE™**

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.Eye Contact:May cause slight irritation. Redness.Skin Contact:None expected under normal use. Contact for an extended time may cause mild irritation. Redness.Inhalation:None expected under normal use.Ingestion:May cause irritation of the linings of the mouth, throat and gastrointestinal tract.

## 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

In case of any doubt or when irritation occurs or persists seek medical advice. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

# 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

The product itself does not maintain combustion.

## 5.3 ADVICE FOR FIRE FIGHTERS

Use fire fighting measures that suit the environment. As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Material spilled on hard surface can present a serious slipping/falling hazard.

## 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

## 6.4 REFERENCE TO OTHER SECTIONS:

Refer to Section 8 of the SDS - Personal precautions Refer to Section 7 of the SDS - Precautions in handling and storage Refer to Section 13 of the SDS - Waste disposal recommendations

## SECTION 7: HANDLING AND STORAGE

## 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Min. 1°C - Max. 60°C). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

### 7.3 SPECIFIC END USE(S): No information available

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 CONTROL PARAMETERS

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020

# **DIAMOND SHINE™**

Workplace	Evpoquro	Limita

Pioneer

Eclipse

workplace Exposure Limits:						
Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
ligiedient	Source	ppm	mg/m <sup>3</sup>	· · · · · · · · · · · · · · · · · · ·	mg/m <sup>3</sup>	Note(S)
	ACGIH TLV	50	184	100	369	
	Source ACGIH TLV DE (TRGS 900) DK - At-Vejledning Stoffer or materialier- C.0.1 EU (2000/39/EC) NO – Forskrift, best.nr. 704 NL - Grenswaarde TGG	-	-	100	370	2(I) DFG, EU,Y
1-Methoxy-2-propanal	DK - At-Vejledning Stoffer og materialier- C.0.1	50	185	-	-	E
(CAS# 107-98-2)	EU (2000/39/EC) 100 375	150	568	Skin		
	NO – Forskrift, best.nr. 704	50	180	-	-	Н*
	NL - Grenswaarde TGG	-	375	-	563	Н
	EH40	100	375	150	560	Sk

## 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)

i oloonali lotootivo Eqe	
Eye/Face Protection:	Under normal use of this product, eye protection not necessary. If there is a risk of liquid being splashed: Wear eye protection.
	Safety glasses or goggles (EN166).
Hand Protection:	Chemical resistant gloves are recommended. (EN374).
	Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.
Respiratory Protection:	Under normal use of this product, respiratory protection not necessary. Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g EN 14387- ABEK)
Hygiene Measures:	Do not eat, drink or smoke when using this product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

C C C C C C C C C C C C C C C C C C C	Physical state: Colour: Ddour: Melting point/Freezing point: Boiling point/Boiling range: Flammability: Lower and upper explosion limits: Flash Point: Auto-ignition temperature: Decomposition temperature: Decom	Liquid white, opaque slight odor characteristic of raw material, no added fragrance $\pm 0 ^{\circ}\text{C}$ $\pm 100^{\circ}\text{C}$ Does not maintain combustion. No data available > 90°C No data available No data available 9 - 10 < 10 mm <sup>2</sup> /s Water, completely soluble -0.79 (calculated value) 23.4 hPa 1.03 g/cm <sup>3</sup> No data available
F	Relative vapor density: Particle characteristics:	5
'		

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020



# **DIAMOND SHINE™**

9.2	OTHER INFORMATION			
	9.2.1 - Information with regard to physical hazard class: Oxidising properties: Not established			
	Explosive properties:	Not established		
	9.2.2 - Other safety characteristics:			
	Relative evaporation rate (butylacetate=1):	< 1		
	VOC:	8.49%		
SECT	TION 10: STABILITY AND REACTIVITY			
10.1	REACTIVITY:	Stable under normal conditions.		
10.2	CHEMICAL STABILITY:	Stable under normal conditions.		
10.3	POSSIBILITY OF HAZARDOUS REACTIONS:	None known		
10.4	CONDITIONS TO AVOID:	None known		
10.5	INCOMPATIBLE MATERIALS:	Do not mix with other chemicals unless stated on the product label.		
10.6	HAZARDOUS DECOMPOSITION PRODUCTS:	None known		

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON HAZARD CLASSES AS DEFINED BY REGULATION (EC) 1272/2008

ACUTE TOXICITY:	Toxicity testing has not been completed on the mixture.
ATE <sub>mix</sub> (oral):	> 2000 mg/kg
ATE <sub>mix</sub> (dermal):	> 2000 mg/kg
ATE <sub>mix</sub> (inhalation):	> 20 mg/l (4 hr/vapour)

Based on criteria 3.1.3 from (EC) 1272/2008, the Acute Toxicity classification criteria are not met. Components details are given below:

Component	CAS #	LD50 Oral Rat	LD50 Dermal Rabbit	LC50 Inhalation Rat (Dust/Mist)
Tributoxyethylphosphate	78-51-3	3000 mg/kg	> 5000 mg/kg	> 6.4 mg/l
Trimethyl pentanyl diisobutyrate	6486-50-0	> 2000 mg/kg	> 2000 mg/kg	> 0.12 mg/l (6h)
1-Methoxy-2-propanol	107-98-2	3739 mg/kg	> 2000 mg/kg	> 26315 mg/l (4h)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	1020 mg/kg	4115 mg/kg	100 mg/l (4h)
Octhilinone (ISO); 2-octyl-2H-isothiazol-3- one	2634-33-5	ATE (oral) 125 mg/kg	ATE (dermal) 311 mg/kg	ATE (inhalation-mist) 0.27 mg/l

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Classified as Skin sensitisation - Category 1.

May cause an allergic skin reaction

#### SKIN CORROSION/IRRITATION:

SERIOUS EYE DAMAGE/IRRITATION:

**RESPIRATORY OR SKIN SENSITIZATION:** 

GERM CELL MUTAGENICITY:

CARCINOGENICITY:

**REPRODUCTIVE TOXICITY:** 

STOT-SINGLE EXPOSURE:

## STOT-REPEATED EXPSURE:

## **ASPIRATION HAZARD:**

### 11.2 INFORMATION ON OTHER HAZARDS

11.2.1 Endocrine disrupting properties:

11.2.2 Other information:

None known

No additional information available

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020



**DIAMOND SHINE™** 

## SECTION 12: ECOLOGICAL INFORMATION

#### **12.1 TOXICITY:** Ecological testing has not been completed on the mixture.

Classified as Hazardous to the aquatic environment, Chronic Hazard - Category 2 Toxic to aquatic life with long lasting effects.

Component	CAS #	LC50 fish (96 h)	EC50 Daphnia (48 h)	EC50 Algae (72 h)
Tributoxyethylphosphate	78-51-3	24 mg/l	75 mg/l	61 mg/l
Trimethyl pentanyl diisobutyrate	6846-50-0	≥ 6 mg/l	≥ 1.46 mg/l	> 7.49 mg/l
1-Methoxy-2-propanol	107-98-2	> 4600 mg/l	23300 mg/l	> 500 mg/l
1,2-Benzisothiazol-3(2H)-one	2634-33-5	2.18 mg/l	2.94 mg/l	0.11 mg/l

#### 12.2 PERSISTANCE AND DEGRADABILITY:

Component	CAS #	Biodegradability
Tributoxyethylphosphate	78-51-3	Readily biodegradable
Trimethyl pentanyl diisobutyrate	6846-50-0	70.73% 28 days, Moderately biodegradable
1-Methoxy-2-propanol	107-98-2	Readily biodegradable

## 12.3 BIOACCUMULATIVE POTENTIAL:

Component	CAS #	Partition coefficient n- octanol/water (Log Pow)
Diamond Shine UHS Floor Coating	mixture	-0.79 (calculated)
Tributoxyethylphosphate	78-51-3	3.75
Trimethyl pentanyl diisobutyrate	6846-50-0	4.04 - 4.91
1-Methoxy-2-propanol	107-98-2	1
1,2-Benzisothiazol-3(2H)-one	2634-33-5	0.7

**12.4 MOBILITY IN SOIL:** Testing has not been completed on the mixture.

#### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

Diamond Shine UHS Floor Coating This mixture does not meet the PBT criteria of REACH regulation, Annex XIII. This mixture does not meet vPvB criteria of REACH regulation, Annex XIII.

#### 12.6 ENDOCRINE DISRUPTING PROPERTIES: None known

12.7 OTHER ADVERSE EFFECTS:

No additional information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations. EU Waste Catalogue: 16 03 05\* Organic wastes containing dangerous substances

### SECTION 14: TRANSPORT INFORMATION

Product is not regulated as hazardous for transport. See IATA SP-A197, IMDG 2.10.2.7 and ADR SP-375.

None

None

14.1 UN NUMBER:

- 14.2 UN PROPER SHIPPING NAME: None
- 14.3 TRANSPORT HAZARD CLASSES: None
- 14.4 PACKING GROUP:
- 14.5 ENVIRONMENTAL HAZARDS: None
- 14.6 SPECIAL PRECAUTIONS: None
- 14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:

Product is not transported in bulk.

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020



**DIAMOND SHINE™** 

## SECTION 15: REGULATORY INFORMATION

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

## 15.2 CHEMICAL SAFETY ASSESSMENT:

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

#### **REVISION INFORMATION:**

19 Oct 2022 - Revisions per (EU) 2020/878; § 1, 2, 3, 4, 7, 8, 9, 11, 12, 14, & 16

#### **ABBREVIATIONS:**

ACGIH	American Conference of Governmental Industrial Hygienists
ADR SP	Agreement concerning the International Carriage of Dangerous Goods by Road Special Provision
ATE	Acute Toxicity Estimate
CAS No.	Chemical Abstract Service Number
CLP	Classification Labeling Packaging Regulation (EC) 1272/2008
EC50	Median Effective Concentration.
EC No.	European Union Identification Number
IATA SP	International Air Transport Association Special Provision
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
UN	United Nations
VOC	Volatile Organic Compound
vPvB	Very Persistent and Very Bioaccumulative

### CLASSIFICATION ACCORDING TO EC 1272/2008:

Classification and procedure used to derive the classification for mixture:				
Skin Sens 1	H317	Calculation method		
Aquatic Chronic 2	H411	Calculation method		

#### FULL TEXT OF HAZARD STATEMENTS:

H226	Flammable	liquid and	d vapour.
------	-----------	------------	-----------

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Conforms to 1907/2006/EC - (EU) 2020/878 Issued: 19 Oct 2022 Supersedes: 30 Nov 2020



**DIAMOND SHINE™** 

- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

## FULL TEXT OF PRECAUTIONARY STATEMENTS:

- EUH210Safety data sheet available on request.P272Contaminated work clothing should not be allowed out of the workplace.
- P321 Specific treatment (see the label).
- P362+P364 Take off contaminated clothing and wash it before reused.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local, regional and national regulations.

### **ISSUED BY:**

- Chemical/R&D Department
- Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.