

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

**PRIMESTAR™** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name: PrimeStar Base Coat Product Number: 409L5

UFI: K72J-S5Q1-D10H-2PFU

1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Floor finish base coat

Uses Advised Against: Other than per labelled instructions.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008. Classification: Skin sensitisation - Category 1

#### 2.2 LABEL ELEMENTS

Signal Word: Warning

Hazard pictogram:



Contains: Benzisothiazolinone, Methylisothiazolinone, Maleic anhydride.

Hazard Statement:

H317 May cause an allergic skin reaction.

Precautionary Statements:

P261 Avoid breathing vapours. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3 OTHER HAZARDS No additional information available.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1/3.2 SUBSTANCES/MIXTURES

	EC No. Weight 9			REACH-No.	CLP Classification	
Ingredient		Weight %	CAS No.		Hazard Class	Hazard Statement(s)*
Tributoxyethylphosphate	201-122-9	1 - < 5	78-51-3	01- 2119485835 -23	AquaChr 3	H412





Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

# **PRIMESTAR™**

Trimethyl pentanyl diisobutyrate	229-934-9	1 - < 5	6846-50-0	01- 2119451093 -47	Repr 2 AquaChr 3	H361d H412
Ammonium hydroxide	215-647-6	< 0.1	1336-21-6	01 2119488876 -14	Skin Corr 1B AquaAcute 1	H314 H400
1-Methoxy-2-propanol	203-539-1	< 0.1	107-98-2	01- 2119457435 -35	Flam Liq 3 STOT SE 3	H226 H336
1,2-Benzisothiazol-3(2H)-one	220-120-9	< 0.1	2634-33-5	01 2120761540 -60	AcuteTox 4 Skin Irrit 2 Eye Dam 1 Skin Sens 1 AqAcute1	H302 H315 H318 H317 H400
2-Methylisothiazol-3(2H)-one	220-293-6	< 0.1	2682-20-4	01- 2120764690 -50	AcuteTox 3 AcuteTox 2 Skin Corr 1B Skin Sens 1A Eye Dam 1 AquaAcute1 AquaChr 1	H301,H311 H330 H314 H317 H318 H400 H410
Maleic anhydride	203-571-6	< 0.1	108-31-6		AcuteTox 4 STOT RE 1 Skin Corr 1B Eye Dam 1 Resp Sens 1 Skin Sens 1A	H302 H372 H314 H318 H334 H317

<sup>\*</sup>See section 16 for the full text of (EU) Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits M-Factors
Ammonium hydroxide	215-647-6	1336-21-6	(5 ≤C≤ 100) STOT SE 3, H335
1,2-Benzisothiazol-3(2H)-one	220-120-9	2634-33-5	(0.05 ≤C≤ 100) Skin Sens 1, H317
2-Methylisothiazol-3(2H)-one	220-293-6	2682-20-4	(0.0015 ≤C≤ 100) Skin Sens 1A, H317 Aquatic Acute 1, H100 (M=10)
Maleic anhydride	203-571-6	108-31-6	(0.001 ≤C≤ 100) Skin Sens 1A, H317

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact: In case of eye contact, immediately rinse with clean water for 10-15 minutes. If eye irritation persists:

Get medical advice/attention.

Skin Contact: Wash skin with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention. If

**Inhalation:** experiencing respiratory symptoms: Allow affected person to breathe fresh air.

Ingestion: Rinse mouth. Do NOT induce vomiting. Give water to drink. Seek medical advice immediately and

show this container or label.

## 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

**Eye Contact:** May cause slight irritation. Redness.

Skin Contact: Not expected to present a significant skin hazard, under normal use. Prolonged or repeated use may

cause irritation.

**Inhalation:** None expected under normal use.

**Ingestion:** May cause irritation of the linings of the mouth, throat and gastrointestinal tract.

## 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

In case of any doubt or when irritation occurs or persists seek medical advice. If medical advice is needed, have product container or label at hand.



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

**PRIMESTAR™** 

## SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Dry chemical, CO<sub>2</sub>, water spray or regular foam

## 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

The product itself does not maintain combustion.

## 5.3 ADVICE FOR FIRE FIGHTERS

Use fire fighting measures that suit the environment. As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Material spilled on hard surface can present a serious slipping/falling hazard.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

**6.4 REFERENCE TO OTHER SECTIONS:** Refer to Section 8 of the SDS - Personal precautions

Refer to Section 7 of the SDS - Precautions in handling and storage Refer to Section 13 of the SDS - Waste disposal recommendations

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 CONTROL PARAMETERS

## **Workplace Exposure Limits:**

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
mgredient	Source	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	Note(s)
	ACGIH TLV	50	184	100	369	
1-Methoxy-2-propanal (CAS# 107-98-2)	DE (TRGS 900)	-	-	100	370	2(I) DFG, EU,Y
	DK - At-Vejledning Stoffer og materialier- C.0.1	50	185	-	-	E
	EU (2000/39/EC)	100	375	150	568	Skin
	NO – Forskrift, best.nr. 704	50	180	-	-	H *
	NL - Grenswaarde TGG	-	375	-	563	Н
	EH40	100	375	150	560	Sk



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

## **PRIMESTAR™**

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
mgredient	Source	ppm	mg/m <sup>3</sup>	ppm	mg/m³	Note(s)
Ammonium hydroxide (CAS# 1336-21-6)	EU (2000/39/EC)	20	14	50	36	
,	NL - Grenswaarde TGG	-	14	-	-	

#### 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness

of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)

Eye/Face Protection: Under normal use of this product, eye protection not necessary. If there is a risk of liquid being

splashed: Wear eye protection. Safety glasses or goggles (EN166).

Hand Protection: Chemical resistant gloves are recommended. (EN374).

Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure

to other substances.

Respiratory Protection: Under normal use of this product, respiratory protection not necessary. Respiratory protection

should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter.

(E.g. - EN 14387- ABEK)

Other information: Do not eat, drink, or smoke when using this product. Avoid contact with skin and eyes.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Colour: milky white

Odour: slight ammonia odor characteristic of raw material, no added fragrance

Melting point/Freezing point:  $\pm$  0 °C Boiling point/Boiling range:  $\pm$  95 °C

Flammability: Does not maintain combustion.

Lower and upper explosion limits: No test data available

Flash Point: > 93°C

Auto-ignition temperature: No test data available Decomposition temperature: No test data available

pH: 8 - 9
Kinematic viscosity: < 10 mm<sup>2</sup>/s

Solubility: Water, completely soluble
Partition coefficient n-octanol/water [log Pow]: -0.43 (calculated value)
Vapor pressure: No test data available

Density: 1.03 g/cm³
Relative vapor density: No data available
Particle characteristics: Not applicable to liquids

#### 9.2 OTHER INFORMATION

9.2.1 - Information with regard to physical hazard class:

Oxidising properties:

Explosive properties:

Not established

Not established



Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

**PRIMESTAR™** 

# 9.2.2 - Other safety characteristics:

Relative evaporation rate (butylacetate=1): < 1 VOC: 5.75%

## SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY: Stable under normal conditions.
 10.2 CHEMICAL STABILITY: Stable under normal conditions.
 10.3 POSSIBILITY OF HAZARDOUS REACTIONS: None under normal conditions.
 10.4 CONDITIONS TO AVOID: None under normal conditions.

10.5 INCOMPATIBLE MATERIALS: Do not mix with other chemicals unless stated on the product label.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: None known

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) 1272/2008

**ACUTE TOXICITY:** Toxicity testing has not been completed on the mixture.

ATE  $_{mix}$  (oral): > 2000 mg/kg ATE  $_{mix}$  (dermal): > 2000 mg/kg

ATE  $_{mix}$  (inhalation): > 20 mg/l (4 hr/vapour)

Based on criteria 3.1.3 from (EC) 1272/2008, the Acute Toxicity classification criteria are not met.

Component details are given below:

Component	CAS#	LD50 Oral Rat	LD50 Dermal Rabbit	LC50 Inhalation Rat
Tributoxyethylphosphate	78-51-3	3000 mg/kg	> 5000 mg/kg	> 6.4 mg/l
Trimethyl pentanyl diisobutyrate	6486-50-0	> 2000 mg/kg	> 2000 mg/kg	> 0.12 mg/l (6 h)
1-Methoxy-2-propanol	107-98-2	3739 mg/kg	> 2000 mg/kg	> 26315 mg/l (4 h)
Ammonium hydroxide	1336-21-6	350 mg/kg	data not available	7035 mg/m <sup>3</sup>
1,2-Benzisothiazol-3(2H)-one	2634-33-5	1020 mg/kg	4115 mg/kg	100 mg/l/4h

SKIN CORROSION/IRRITATION: Based on available data, the classification criteria are not met.

SERIOUS EYE DAMAGE/IRRITATION: Based on available data, the classification criteria are not met.

**RESPIRATORY OR SKIN SENSITIZATION:** Classified as Skin sensitisation - Category 1.

May cause an allergic skin reaction

GERM CELL MUTAGENICITY:

Based on available data, the classification criteria are not met.

CARCINOGENICITY:

Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY:

Based on available data, the classification criteria are not met.

STOT-SINGLE EXPOSURE:

Based on available data, the classification criteria are not met.

STOT-REPEATED EXPSURE:

Based on available data, the classification criteria are not met.

ASPIRATION HAZARD:

Based on available data, the classification criteria are not met.

11.2 INFORMATION ON OTHER HAZARDS

11.2.1 Endocrine disrupting properties: None known

11.2.2 Other information: No additional information available

# SECTION 12: ECOLOGICAL INFORMATION

**12.1 TOXICITY:** Ecological testing has not been completed on the mixture.

Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment.

Component details are given below:



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

# **PRIMESTAR™**

Component	CAS#	LC50 fish (96 h)	EC50 Daphnia (48 h)	EC50 algae (72 h)
Tributoxyethylphosphate	78-51-3	24 mg/l	75 mg/l	61 mg/l
Trimethyl pentanyl diisobutyrate	6846-50-0	≥ 6 mg/l	≥ 1.46 mg/l	> 7.49 mg/l
1-Methoxy-2-propanol	107-98-2	> 4600 mg/l	23300 mg/l	> 500 mg/l
Ammonium hydroxide	1336-21-6	0.89 mg/l	110 mg/l	2.7 mg/l
1,2-Benzisothiazol-3(2H)-one	2634-33-5	2.18 mg/l	2.94 mg/l	0.11 mg/l
2-Methylisothiazol-3(2H)-one	2682-20-4	4.77 mg/kg	0.934 mg/l	0.0725 mg/l

## 12.2 PERSISTANCE AND DEGRADABILITY:

Testing has not been completed on the mixture.

Component	CAS#	Biodegradation
Tributoxyethylphosphate	78-51-3	Readily biodegradable
Trimethyl pentanyl diisobutyrate	6846-50-0	70.73% 28 days, Moderately biodegradable
1-Methoxy-2-propanol	107-98-2	Readily biodegradable
Ammonium hydroxide	1336-21-6	Readily biodegradable

#### 12.3 BIOACCUMULATIVE POTENTIAL:

Product/Component	CAS#	Partition coefficient n-octanol/water (Log Pow)
PrimeStar Base Coat	mixture	-0.43 (calculated)
Tributoxyethylphosphate	78-51-3	3.75
Trimethyl pentanyl diisobutyrate	6846-50-0	4.04 - 4.91
1-Methoxy-2-propanol	107-98-2	1
Ammonium hydroxide	1336-21-6	-0.64
1,2-Benzisothiazol-3(2H)-one	2634-33-5	0.7
2-Methylisothiazol-3(2H)-one	2682-20-4	-0.32

**12.4 MOBILITY IN SOIL:** Testing has not been completed on the mixture.

## 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

PrimeStar Base Coat	This mixture does not meet the PBT criteria of REACH regulation, Annex XIII.
	This mixture does not meet vPvB criteria of REACH regulation, Annex XIII.

12.6 ENDOCRINE DISRUPTING PROPERTIES: None known

**12.7 OTHER ADVERSE EFFECTS:** No additional information available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

## 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations. EU Waste Catalogue: 16 03 05\* - organic wastes containing dangerous substance

## SECTION 14: TRANSPORT INFORMATION

Product is not classified as hazardous for transport regulations.

14.1 UN NUMBER: None
14.2 UN PROPER SHIPPING NAME: None
14.3 TRANSPORT HAZARD CLASSES: None
14.4 PACKING GROUP: None
14.5 ENVIRONMENTAL HAZARDS: None
14.6 SPECIAL PRECAUTIONS: None

14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS: Product is no

Product is not transported in bulk.



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

03 Sept 2020 Supersedes:

**PRIMESTAR™** 

## **SECTION 15: REGULATORY INFORMATION**

## SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

15.2 CHEMICAL SAFETY ASSESSMENT This mixture is not classified as hazardous according to EC 1272/2008.

## **SECTION 16: OTHER INFORMATION**

#### **REVISION INFORMATION:**

03 Nov 2022 - Revisions per (EU) 2020/878; § 1, 2, 3, 4, 8, 9, 11, 12, 14 & 16

#### **ABBREVIATIONS:**

**ACGIH** American Conference of Governmental Industrial Hygienists

ATE Acute Toxicity Estimate

CAS No. Chemical Abstract Service Number

CLP Classification Labeling Packaging Regulation (EC) 1272/2008

EC50 Median Effective Concentration. EC No. European Union Identification Number International Maritime Organization IMO LC50 Median Lethal Concentration

LD50 Median Lethal Dose

PBT Persistent Bioaccumulative Toxic

**REACH** Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006

SDS Safety Data Sheet

**STEL** Short-Term Exposure Limit Time Weighted Average **TWA** UFI Unique Formula Identifier

UN **United Nations** 

VOC Volatile Organic Compound

vPvB Very Persistent and Very Bioaccumulative

Flammable liquid and vapour.

## **CLASSIFICATION ACCORDING TO EC 1272/2008:**

Classification and procedure used to derive the classification for mixture:					
Skin Sens 1	H317	Calculation method			

#### **FULL**

H226

		,
L TEXT OF HAZARD STATEMENTS:		

H301 Toxic if swallowed.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 03 Nov 2022

Supersedes: 03 Sept 2020

**PRIMESTAR™** 

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

## **FULL TEXT OF PRECAUTIONARY STATEMENTS:**

EUH210 Safety data sheet available on request.

P272 Contaminated work clothing should not be allowed out of the workplace.

P321 Specific treatment (see the label).

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local, regional and national regulations.

## **ISSUED BY:**

Chemical/R&D Department

Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.