

Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 10 May 2018 Supersedes: 7 June 2016

# **ENVIROSTAR™ HS25 FLOOR COATING**

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 PRODUCT IDENTIFIER

Product Name: EnviroStar HS25 Floor Coating Product Number: 124

# 1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Floor finish

Uses Advised Against: Other than per labelled instructions.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

## Manufacturer:

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

# SECTION 2: HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008.

Not classified as hazardous.

### 2.2 LABEL ELEMENTS

Signal Word:
Hazard pictogram(s):
None
Hazard Statement(s):
None
Precautionary Statement(s):
None

2.3 OTHER HAZARDS No other hazards are known to the supplier

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1/3.2 SUBSTANCES/MIXTURES

Ingredient	EC No.	Weight %	CAS No.	CLP Classification	
					Hazard
				Hazard Class	Statement(s)*
(2-methoxymethylethoxy)-propanol <sup>†</sup>	252-104-2	1 - 5	34590-94-8	none	none

<sup>&</sup>lt;sup>†</sup> This ingredient does not have a harmonized classification per 1272/2008 and is listed due to WEL.

### SECTION 4: FIRST AID MEASURES

### 4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact: Rinse with plenty of water. If irritation develops and persists, seek medical attention.

Skin Contact: Wash with plenty of water. If irritation develops and persists, seek medical attention.

Inhalation: If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.

**Ingestion:** If ingested, do not induce vomiting. Seek medical attention.

<sup>\*</sup>See section 16 for the full text of Hazard Statements





Conforms to 1907/2006/EC - (EU) 2015/830

10 May 2018 Issued:

Supersedes: 7 June 2016

# **ENVIROSTAR™ HS25 FLOOR COATING**

#### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED 4.2

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

**Eye Contact:** None expected under normal use. **Skin Contact:** None expected under normal use. Inhalation: None expected under normal use. None expected under normal use. Ingestion:

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED 4.3

No information available.

# **SECTION 5: FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA** 5.1

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

#### SPECIAL HAZARDS ARISING FROM THE MIXTURE 5.2

Hazardous combustion products: CO, CO<sub>2</sub>

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

#### ADVICE FOR FIRE FIGHTERS 5.3

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Refer to Section 8 for appropriate personal protective equipment.

#### **ENVIRONMENTAL PRECAUTIONS** 6.2

Keep spills and cleaning runoff out of sewers and open bodies of water.

#### METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP 6.3

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

REFERENCE TO OTHER SECTIONS: Refer to Section 8 of the SDS. 64

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES 7.2

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

SPECIFIC END USE(S): No information available 7.3

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **CONTROL PARAMETERS**



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 10 May 2018

Supersedes: 7 June 2016

# **ENVIROSTAR™ HS25 FLOOR COATING**

Occupational Exposure limits:

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	14016(3)
(2-methoxymethylethoxy)-propanol	ACGIH TLV	100	606	150	909	Skin
	EU (2000/39/EC)	50	308	-	-	Skin
	NO Administrative Norm	50	300	-	1	Н
	EH40	50	308	-	-	Sk

### 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness

of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)

Eye/Face Protection: Safety eyewear is recommended, to avoid chemical splashes and mists.

Safety glasses or goggles (EN166).

Hand Protection: Chemical resistant gloves are recommended. (EN374).

Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure

to other substances.

Skin Protection: If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.

Respiratory Protection: Respiratory protection should be worn when there is a potential of inadequate ventilation. If

exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-

purpose combination filter. (E.g. - EN 14387- ABEK)

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: thin, milky white, opaque liquid Odor: slight odor, no added fragrance

Odor Threshold: No test data available

pH: 7.6 [Method: ASTM E 70]

Freezing Point: No test data available

Initial boiling point/boiling range:

No test data available

Flash Point: > 93°C [Method: Closed cup, ASTM D 56]

Evaporation Rate:

Flammability (solid, gas)

Upper/lower flammability/explosive limits:

Vapor Pressure:

Vapor Density:

No test data available

No test data available

No test data available

No test data available

Relative Density: 1.04 kg/L @ 20°C [Method: Pycnometer, ASTM D 1475]

Solubility: miscible in water
Partition Coefficient (n-octanol/water): No test data available
Auto Ignition temperature: No test data available
Decomposition Temperature: No test data available

Viscosity: <10 centipoise @ 20°C [Method: Rotational viscometer, Brookfield]

Explosive Properties: None Oxidizing properties: None

9.2 OTHER INFORMATION

VOC: 0.95%



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 10 May 2018 Supersedes: 7 June 2016

# **ENVIROSTAR™ HS25 FLOOR COATING**

### SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY: None known

10.2 CHEMICAL STABILITY: Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: None known10.4 CONDITIONS TO AVOID: None known

10.5 INCOMPATIBLE MATERIALS: Do not mix with other chemicals unless stated on the product label.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: None known

## SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**ACUTE TOXICITY:** Toxicity testing has not been completed on the mixture.

ATE <sub>mix</sub> (oral): > 2000 mg/kg Based on available data, the classification criteria are not met.

ATE  $_{mix}$  (dermal): > 2000 mg/kg

ATE  $_{mix}$  (inhalation): > 20 mg/l (4 hr/vapour)

**SKIN CORROSION/IRRITATION:**Based on available data, the classification criteria are not met.

SERIOUS EYE DAMAGE/IRRITATION: Based on available data, the classification criteria are not met.

RESPIRATORY OR SKIN SENSITIZATION: Based on available data, the classification criteria are not met.

**GERM CELL MUTAGENICITY:** Based on available data, the classification criteria are not met.

**CARCINOGENICITY:** Based on available data, the classification criteria are not met.

**REPRODUCTIVE TOXICITY:** Based on available data, the classification criteria are not met.

**STOT-SINGLE EXPOSURE:** Based on available data, the classification criteria are not met.

**STOT-REPEATED EXPSURE:** Based on available data, the classification criteria are not met.

**ASPIRATION HAZARD:** Based on available data, the classification criteria are not met.

### 11.2 POTENTIAL ADVERSE HEALTH EFFECTS

Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

# SECTION 12: ECOLOGICAL INFORMATION

**12.1 TOXICITY:** Ecological testing has not been completed on the mixture.

12.2 PERSISTANCE AND DEGRADABILITY: Testing has not been completed on the mixture.

**12.3** BIOACCUMULATIVE POTENTIAL: Testing has not been completed on the mixture.

**12.4 MOBILITY IN SOIL:** Testing has not been completed on the mixture.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable

12.6 OTHER ADVERSE EFFECTS: None known

12.7 ADDITIONAL INORMATION: Classification criteria, for environmental hazards, are not met.

# SECTION 13: DISPOSAL CONSIDERATIONS

# 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.

EU Waste Catalogue: 16 03 05\*

## SECTION 14: TRANSPORT INFORMATION

Product is not classified as hazardous for transport regulations.



Conforms to 1907/2006/EC - (EU) 2015/830

Issued: 10 May 2018 Supersedes: 7 June 2016

# **ENVIROSTAR™ HS25 FLOOR COATING**

14.1 UN NUMBER: None

14.2 UN PROPER SHIPPING NAME: None

14.3 TRANSPORT HAZARD CLASSES: None

14.4 PACKING GROUP: None

14.5 ENVIRONMENTAL HAZARDS: None

14.6 SPECIAL PRECAUTIONS: None

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MAPROL73/78 AND THE IBC CODE: N/A

# SECTION 15: REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

EINECS STATUS: Ingredients are included in the EINECS/ELINCS/NLP inventories.

NATIONAL REGULATIONS: No additional national regulations are known to the supplier.

15.2 CHEMICAL SAFETY ASSESSMENT: No information available.

## SECTION 16: OTHER INFORMATION

# **REVISION INFORMATION:**

10 May 2018 - Product name

# **ABBREVIATIONS:**

N/A - Not applicable N/E - Not Established

N/L - Not Listed

### **FULL TEXT OF HAZARD STATEMENTS:**

None

# **FULL TEXT OF PRECAUTIONARY STATEMENTS:**

Safety data sheet available on request.

# **ISSUED BY:**

Chemical/R&D Department

Amano Pioneer Eclipse Corporation